

Cisco Access Points Cheat Sheet

Serial Number	Brand	Model	Access Point Type	Application Scenario	WiFi Type	Protocol Type	Antenna Type	Port Maximum Speed	Maximum Supported Speed	MU-MIMO	DNA	Controller	Status	Recommended Replacement
1	Cisco	AIR- CAP1532I-x-K9	Fit AP	Outdoor	WiFi-4	802.11a/b/g/n	Internal	1G	300 Mbps	3x3:3	N	9800 Series	End of Life	C9124AXI-x
2	Cisco	AIR-CAP1532E-x-K9	Fit AP	Outdoor	WiFi-4	802.11a/b/g/n	External	1G	300 Mbps	2x2:2	N	9800 Series	End of Life	C9124AXE-x
3	Cisco	AIR-AP1542I-x-K9	Fit AP	Outdoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	2x2:2	N	9800 Series	End of Life	C9124AXI-x
4	Cisco	AIR-AP1542D-x-K9	Fit AP	Outdoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	2x2:2	N	9800 Series	End of Life	C9124AXI-x
5	Cisco	AIR-CAP1552H-x-K9	Fit AP	Outdoor	WiFi-4	802.11a/b/g/n	External	1G	300 Mbps	2x3:2	N	9800 Series	End of Life	C9124AXE-x
6	Cisco	AIR-AP1562I-x-K9	Fit AP	Outdoor	WiFi-5	802.11a/g/n/ac	Internal	1G	1.3 Gbps	3x3:3	N	9800 Series	End of Life	C9124AXI-x
7	Cisco	AIR-AP1562E-x-K9	Fit AP	Outdoor	WiFi-5	802.11a/g/n/ac	External	1G	1.3 Gbps	2x2:2	N	9800 Series	End of Life	C9124AXE-x
8	Cisco	AIR-AP1562D-x-K9	Fit AP	Outdoor	WiFi-5	802.11a/g/n/ac	Internal	1G	1.3 Gbps	2x2:2	N	9800 Series	End of Life	C9124AXI-x
9	Cisco	AIR-AP1572EAC-x-K9	Fit AP	Outdoor	WiFi-5	802.11a/g/n/ac	External	1G	1.3 Gbps	4x4:3	N	9800 Series	End of Life	C9124AXE-x
10	Cisco	AIR-AP1572IC1-x-K9	Fit AP	Outdoor	WiFi-5	802.11a/g/n/ac	Internal	1G	1.3 Gbps	4x4:3	N	9800 Series	End of Life	C9124AXI-x
11	Cisco	AIR-AP1572EC1-x-K9	Fit AP	Outdoor	WiFi-5	802.11a/g/n/ac	External	1G	1.3 Gbps	4x4:3	N	9800 Series	End of Life	C9124AXE-x
12	Cisco	AIR-CAP1602I-x-K9	Fit AP	Indoor	WiFi-4	802.11a/g/n	Internal	1G	300 Mbps	3x3:2	N	9800 Series	End of Life	C9115AXI-x
13	Cisco	AIR-CAP1602I-xK910	Fit AP	Indoor	WiFi-4	802.11a/g/n	Internal	1G	300 Mbps	3x3:2	N	9800 Series	End of Life	C9115AXI-x
14	Cisco	AIR-SAP1602I-x-K9	Fat AP	Indoor	WiFi-4	802.11a/g/n	Internal	1G	300 Mbps	3x3:2	N	9800 Series	End of Life	C9115AXI-EWC-x

Serial Number	Brand	Model	Access Point Type	Application Scenario	WiFi Type	Protocol Type	Antenna Type	Port Maximum Speed	Maximum Supported Speed	MU-MIMO	DNA	Controller	Status	Recommended Replacement
15	Cisco	AIR-SAP1602I-xK9-5	Fat AP	Indoor	WiFi-4	802.11a/g/n	Internal	1G	300 Mbps	3x3:2	N	9800 Series	End of Life	C9115AXI-EWC-x
16	Cisco	AIR-CAP1602E-x-K9	Fit AP	Indoor	WiFi-4	802.11a/g/n	External	1G	300 Mbps	3x3:2	N	9800 Series	End of Life	C9115AXE-x
17	Cisco	AIR-CAP1602E-xK910	Fit AP	Indoor	WiFi-4	802.11a/g/n	External	1G	300 Mbps	3x3:2	N	9800 Series	End of Life	C9115AXE-x
18	Cisco		Fat AP	Indoor	WiFi-4	802.11a/g/n	External	1G	300 Mbps	3x3:2	N	9800 Series	End of Life	C9115AXE-EWC-x
19	Cisco	AIR-SAP1602E-xK9-5	Fat AP	Indoor	WiFi-4	802.11a/g/n	External	1G	300 Mbps	3x3:2	N	9800 Series	End of Life	C9115AXE-EWC-x
20	Cisco	AIR-CAP1702I- x-K9	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	3x3:2	N	9800 Series	End of Life	C9105AXI-x
21	Cisco	AIR-CAP1702I- xK910	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	3x3:2	N	9800 Series	End of Life	C9105AXI-x
22	Cisco	AIR-AP1800I-x-K9	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	2x2:2	N	9800 Series	End of Life	C9105AXI-x
23	Cisco	AIR-AP1810W-x-K9	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	2x2:2	N	9800 Series	End of Life	C9105AXI-x
24	Cisco	AIR-AP1815w-x-K9	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	2x2:2	Y	9800 Series	End of Life	C9105AXI-x
25	Cisco	AIR-AP1815w-x-K9C	Fat AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	2x2:2	Y	9800 Series	End of Life	C9105AXI-EWC-x
26	Cisco	AIR-AP1815i-x-K9	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	2x2:2	Y	9800 Series	End of Life	C9105AXI-x
27	Cisco	AIR-AP1815i-x-K9C	Fat AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	2x2:2	Y	9800 Series	End of Life	C9105AXI-EWC-x
28	Cisco	AIR-AP1815m-x-K9	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	2x2:2	Y	9800 Series	End of Life	C9105AXI-x
29	Cisco	AIR-AP1815m-x-K9C	Fat AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	2x2:2	Y	9800 Series	End of Life	C9105AXI-EWC-x

Serial Number	Brand	Model	Access Point Type	Application Scenario	WiFi Type	Protocol Type	Antenna Type	Port Maximum Speed	Maximum Supported Speed	MU-MIMO	DNA	Controller	Status	Recommended Replacement
30	Cisco	AIR-AP1815t-x-K9	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	2x2:2	Y	9800 Series	End of Life	C9105AXI-x
31	Cisco	AIR-AP1832I-x-K9	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	3x3:2	Y	9800 Series	End of Life	C9115AXI-x
32	Cisco	AIR-AP1832I-x-K9C	Fat AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	867 Mbps	3x3:2	Y	9800 Series	End of Life	C9115AXI-EWC-x
33	Cisco	AIR-AP1840I-x-K9	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	1G	1.7 Gbps	4x4:4	Y	9800 Series	End of Life	C9115AXI-x
34	Cisco	AIR-AP1840I-x-K9C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	1G	1.7 Gbps	4x4:4	Y	9800 Series	End of Life	C9115AXI-EWC-x
35	Cisco	AIR-AP1852I-x-K9	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	1G	1.7 Gbps	4x4:4	Y	9800 Series	End of Life	C9115AXI-x
36	Cisco	AIR-AP1852I-x-K9C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	1G	1.7 Gbps	4x4:4	Y	9800 Series	End of Life	C9115AXI-EWC-x
37	Cisco	AIR-AP1852E-x-K9	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	1G	1.7 Gbps	4x4:4	Y	9800 Series	End of Life	C9115AXE-x
38	Cisco	AIR-AP1852E-x-K9C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	1G	1.7 Gbps	4x4:4	Y	9800 Series	End of Life	C9115AXE-EWC-x
39	Cisco	AIR-AP2702I-UXK9	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	1.3 Gbps	3x4:3	N	9800 Series	End of Life	C9120AXI-x
40	Cisco	AIR-AP2702I-UXK9C	Fat AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	1.3 Gbps	3x4:3	N	9800 Series	End of Life	C9120AXI-EWC-x
41	Cisco	AIR-AP2702I-UXK910	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	1.3 Gbps	3x4:3	N	9800 Series	End of Life	C9120AXI-x
42	Cisco	AIRAP2702I-UXK910 C	Fat AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	1.3 Gbps	3x4:3	N	9800 Series	End of Life	C9120AXI-EWC-x
43	Cisco	AIR-AP2702E-UXK9	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	External	1G	1.3 Gbps	3x4:3	N	9800 Series	End of Life	C9120AXE-x
44	Cisco	AIR-AP2702E-UXK9C	Fat AP	Indoor	WiFi-5	802.11a/g/n/ac	External	1G	1.3 Gbps	3x4:3	N	9800 Series	End of Life	C9120AXE-EWC-x

Serial Number	Brand	Model	Access Point Type	Application Scenario	WiFi Type	Protocol Type	Antenna Type	Port Maximum Speed	Maximum Supported Speed	MU-MIMO	DNA	Controller	Status	Recommended Replacement
45	Cisco	AIR-AP2702E-UXK910	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	External	1G	1.3 Gbps	3x4:3	N	9800 Series	End of Life	C9120AXE-x
46	Cisco	AIR-AP2702E-UXK910C	Fat AP	Indoor	WiFi-5	802.11a/g/n/ac	External	1G	1.3 Gbps	3x4:3	N	9800 Series	End of Life	C9120AXE-EWC-x
47	Cisco	AIR-CAP2702I-x-K9	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	1.3 Gbps	3x4:3	N	9800 Series	End of Life	C9120AXI-x
48	Cisco	AIR-CAP2702I-xK910	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	Internal	1G	1.3 Gbps	3x4:3	N	9800 Series	End of Life	C9120AXI-x
49	Cisco	AIR-CAP2702E-x-K9	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	External	1G	1.3 Gbps	3x4:3	N	9800 Series	End of Life	C9120AXE-x
50	Cisco	AIR-CAP2702E-xK910	Fit AP	Indoor	WiFi-5	802.11a/g/n/ac	External	1G	1.3 Gbps	3x4:3	N	9800 Series	End of Life	C9120AXE-x
51	Cisco	AIR-AP2802I-x-K9	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9120AXI-x
52	Cisco	AIR-AP2802I-xK910	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9120AXI-x
53	Cisco	AIR-AP2802I-x-K9C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9120AXI-EWC-x
54	Cisco	AIR-AP2802I-xK910C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9120AXI-EWC-x
55	Cisco	AIR-AP2802E-x-K9	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9120AXE-x
56	Cisco	AIR-AP2802E-xK910	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9120AXE-x
57	Cisco	AIR-AP2802E-x-K9C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9120AXE-EWC-x
58	Cisco	AIR-AP2802E-xK910C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9120AXE-EWC-x
59	Cisco	AIR-AP3702E-UXK9	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXE-x

Serial Number	Brand	Model	Access Point Type	Application Scenario	WiFi Type	Protocol Type	Antenna Type	Port Maximum Speed	Maximum Supported Speed	MU-MIMO	DNA	Controller	Status	Recommended Replacement
60	Cisco	AIR-AP3702E-UXK910	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXE-x
61	Cisco	AIR-AP3702E-UXK9C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXE-EWC-x
62	Cisco	AIR-AP3702I-UXK9	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXI-x
63	Cisco	AIR-AP3702I-UXK910	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXI-x
64	Cisco	AIR-AP3702I-UXK9C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXI-EWC-x
65	Cisco	AIR-CAP3702E-x-K9	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXE-x
66	Cisco	AIR-CAP3702E-x-K910	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	1G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXE-x
67	Cisco	IW3702-2E-x-K9	Fit AP	Outdoor	WiFi-5	802.11a/b/g/n/ac	External	1G	1.3 Gbps	4x4:3	N	9800 Series	End of Life	IW9167EH-x-AP
68	Cisco	IW3702-4E-x-K9	Fit AP	Outdoor	WiFi-5	802.11a/b/g/n/ac	External	1G	1.3 Gbps	4x4:3	N	9800 Series	End of Life	IW9167EH-x-AP
69	Cisco	IW3702-2E-UXK9	Fit AP	Outdoor	WiFi-5	802.11a/b/g/n/ac	External	1G	1.3 Gbps	4x4:3	N	9800 Series	End of Life	IW9167EH-x-AP
70	Cisco	IW3702-4E-UXK9	Fit AP	Outdoor	WiFi-5	802.11a/b/g/n/ac	External	1G	1.3 Gbps	4x4:3	N	9800 Series	End of Life	IW9167EH-x-AP
71	Cisco	AIR-AP3802I-x-K9	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	10G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXI-x
72	Cisco	AIR-AP3802I-xK910	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	10G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXI-x
73	Cisco	AIR-AP3802I-x-K9C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	10G	5.2 Gbps	4x4:3	Y	N/A	End of Life	C9130AXI-EWC-x
74	Cisco	AIR-AP3802I-xK910C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	10G	5.2 Gbps	4x4:3	Y	N/A	End of Life	C9130AXI-EWC-x

Serial Number	Brand	Model	Access Point Type	Application Scenario	WiFi Type	Protocol Type	Antenna Type	Port Maximum Speed	Maximum Supported Speed	MU-MIMO	DNA	Controller	Status	Recommended Replacement
75	Cisco	AIR-AP3802e-x-K9	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	10G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXE-x
76	Cisco	AIR-AP3802e-xK910	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	10G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXE-x
77	Cisco	AIR-AP3802E-x-K9C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	10G	5.2 Gbps	4x4:3	Y	N/A	End of Life	C9130AXE-EWC-x
78	Cisco	AIR-AP3802E-xK910C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	10G	5.2 Gbps	4x4:3	Y	N/A	End of Life	C9130AXE-EWC-x
79	Cisco	AIR-AP3802p-x-K9	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	10G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXE-x
80	Cisco	AIR-AP3802p-xK910	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	10G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXE-x
81	Cisco	AIR-AP3802p-x-K9C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	10G	5.2 Gbps	4x4:3	Y	N/A	End of Life	C9130AXE-EWC-x
82	Cisco	AIR-AP3802p-xK910C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	External	10G	5.2 Gbps	4x4:3	Y	N/A	End of Life	C9130AXE-EWC-x
83	Cisco	AIR-AP4800-x-K9	Fit AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	10G	5.2 Gbps	4x4:3	Y	9800 Series	End of Life	C9130AXI-x
84	Cisco	AIR-AP4800-x-K9C	Fat AP	Indoor	WiFi-5	802.11a/b/g/n/ac	Internal	10G	5.2 Gbps	4x4:3	Y	N/A	End of Life	C9130AXI-EWC-x
85	Cisco	ESW-6300-CON-X-K9	Fat AP	Outdoor	WiFi-5	802.11a/n/ac	External	1G	867 Mbps	2x2:2	N	N/A	In stock	N/A
86	Cisco	IW-6300H-DC-X-K9	Fat AP	Outdoor	WiFi-5	802.11a/g/n/ac	External	1G	867 Mbps	2x2:2	N	N/A	In stock	N/A
87	Cisco	IW-6300H-DCW-X-K9	Fat AP	Outdoor	WiFi-5	802.11a/g/n/ac	External	1G	867 Mbps	2x2:2	N	N/A	In stock	N/A
88	Cisco	IW-6300H-AC-X-K9	Fat AP	Outdoor	WiFi-5	802.11a/g/n/ac	External	1G	867 Mbps	2x2:2	N	N/A	In stock	N/A
89	Cisco	C9105AXI-x	Fit AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ ax	Internal	1G	1.488 Gpbs	2x2:2	Y	9800 Series	In stock	N/A

Serial Number	Brand	Model	Access Point Type	Application Scenario	WiFi Type	Protocol Type	Antenna Type	Port Maximum Speed	Maximum Supported Speed	MU-MIMO	DNA	Controller	Status	Recommended Replacement
90	Cisco	C9105AXW-x	Fit AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	Internal	2.5G	1.488 Gpbs	2x2:2	Y	9800 Series	In stock	N/A
91	Cisco	C9105AXIT-x	Fit AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	Internal	1G	1.488 Gpbs	2x2:2	Y	9800 Series	In stock	N/A
92	Cisco	C9105AXWT-x	Fit AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	Internal	2.5G	1.488 Gpbs	2x2:2	Y	9800 Series	In stock	N/A
93	Cisco	C9105AXI-EWC-x	Fat AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	Internal	1G	1.488 Gpbs	2x2:2	Y	N/A	In stock	N/A
94	Cisco	C9115AXI-x	Fit AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	Internal	2.5G	5.38 Gbps	4x4:4	Y	9800 Series	In stock	N/A
95	Cisco	C9115AXE-x	Fit AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	External	2.5G	5.38 Gbps	4x4:4	Y	9800 Series	In stock	N/A
96	Cisco	C9115AXI-EWC-x	Fat AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	Internal	2.5G	5.38 Gbps	4x4:4	Y	N/A	In stock	N/A
97	Cisco	C9115AXE-EWC-x	Fat AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	External	2.5G	5.38 Gbps	4x4:4	Y	N/A	In stock	N/A
98	Cisco	C9120AXI-x	Fit AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	Internal	2.5G	5.38 Gbps	4x4:4	Y	9800 Series	In stock	N/A
99	Cisco	C9120AXE-x	Fit AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	External	2.5G	5.38 Gbps	4x4:4	Y	9800 Series	In stock	N/A
100	Cisco	C9120AXP-x	Fit AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	External	2.5G	5.38 Gbps	4x4:4	Y	9800 Series	In stock	N/A
101	Cisco	C9120AXI-EWC-x	Fat AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	Internal	2.5G	5.38 Gbps	4x4:4	Y	N/A	In stock	N/A
102	Cisco	C9120AXE-EWC-x	Fat AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	External	2.5G	5.38 Gbps	4x4:4	Y	N/A	In stock	N/A
103	Cisco	C9120AXP-EWC-x	Fat AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	External	2.5G	5.38 Gbps	4x4:4	Y	N/A	In stock	N/A
104	Cisco	C9124AXI-x	Fit AP	Outdoor	WiFi-6	802.11a/b/g/n/ac/ax	Internal	2.5G	5.38 Gbps	4x4:4	Y	9800 Series	In stock	N/A

Serial Number	Brand	Model	Access Point Type	Application Scenario	WiFi Type	Protocol Type	Antenna Type	Port Maximum Speed	Maximum Supported Speed	MU-MIMO	DNA	Controller	Status	Recommended Replacement
105	Cisco	C9124AXI-EWC-X	Fat AP	Outdoor	WiFi-6	802.11a/b/g/n/ac/ax	Internal	2.5G	5.38 Gbps	4x4:4	Y	N/A	In stock	N/A
106	Cisco	C9124AXD-x	Fit AP	Outdoor	WiFi-6	802.11a/b/g/n/ac/ax	Internal	2.5G	5.38 Gbps	4x4:4	Y	9800 Series	In stock	N/A
107	Cisco	C9124AXD-EWC-X	Fat AP	Outdoor	WiFi-6	802.11a/b/g/n/ac/ax	Internal	2.5G	5.38 Gbps	4x4:4	Y	N/A	In stock	N/A
108	Cisco	C9124AXE-x	Fit AP	Outdoor	WiFi-6	802.11a/b/g/n/ac/ax	External	2.5G	5.38 Gbps	4x4:4	Y	9800 Series	In stock	N/A
109	Cisco	C9124AXE-EWC-X	Fat AP	Outdoor	WiFi-6	802.11a/b/g/n/ac/ax	External	2.5G	5.38 Gbps	4x4:4	Y	N/A	In stock	N/A
110	Cisco	C9130AXI-x	Fit AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	Internal	5G	5.38 Gbps	4x4:4;8x8:8	Y	9800 Series	In stock	N/A
111	Cisco	C9130AXE-x	Fit AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	External	5G	5.38 Gbps	4x4:4;8x8:8	Y	9800 Series	In stock	N/A
112	Cisco	C9130AXI-EWC-x	Fat AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	Internal	5G	5.38 Gbps	4x4:4;8x8:8	Y	N/A	In stock	N/A
113	Cisco	C9130AXE-EWC-x	Fat AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	External	5G	5.38 Gbps	4x4:4;8x8:8	Y	N/A	In stock	N/A
114	Cisco	C9130AXE-STA-x	Fit AP	Indoor	WiFi-6	802.11a/b/g/n/ac/ax	External	5G	5.38 Gbps	4x4:4;8x8:8	Y	9800 Series	with Antenna C-ANT9104	N/A
115	Cisco	CW9162I-x	Fit AP	Indoor	WiFi-6E	802.11a/b/g/n/ac/ax	Internal	2.5G	3.9 Gbps	2x2:2	Y	9800 Series	In stock	N/A
116	Cisco	CW9164I-x	Fit AP	Indoor	WiFi-6E	802.11a/b/g/n/ac/ax	Internal	2.5G	7.49 Gbps	4x4:4	Y	9800 Series	In stock	N/A
117	Cisco	CW9166I-x	Fit AP	Indoor	WiFi-6E	802.11a/b/g/n/ac/ax	Internal	5G	7.78 Gbps	4x4:4	Y	9800 Series	In stock	N/A
118	Cisco	C9136I-x	Fit AP	Indoor	WiFi-6E	802.11a/b/g/n/ac/ax	Internal	5G	10.2 Gbps	4x4:4;8x8:8	Y	9800 Series	In stock	N/A
119	Cisco	IW9167EH-x-AP	Fit AP	Outdoor	WiFi-6E	802.11a/b/g/n/ac/ax	External	10G	7.8 Gbps	4x4:4	Y	9800 Series	In stock	N/A

Serial Number	Brand	Model	Access Point Type	Application Scenario	WiFi Type	Protocol Type	Antenna Type	Port Maximum Speed	Maximum Supported Speed	MU-MIMO	DNA	Controller	Status	Recommended Replacement
120	Cisco	IW9167EH-x-CURWB	Fit AP	Outdoor	WiFi-6E	802.11a/b/g/n/ac/ax	External	10G	7.8 Gbps	4x4:4	Y	9800 Series	In stock	N/A

About Us

Top Paragon Resource is a leading network supplier, providing enterprise customers and end-users professional products and solutions

Shop Now

Our specialists are waiting to help you. For general quote, contact us at +60 13-540 4091 / info@topparagonresource.com.